JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 49

AUTHOR INDEX

		No.	Page
	ADAMS, R. L., see ERDTMANN, B. D. (32)		
1.	ALEXANDER, R. R., Phenotypic lability of the brachiopod *Rafinesquina alternata* (Ordovician) and its correlation with the sedimentologic regime	4	607
2.	ALPERT, S. P., *Planoites* and *Skolithos* from the Upper Precambrian–Lower Cambrian, White–Inyo Mountains, California	3	509
3.	AYALA, F. J., J. W. VALENTINE, T. E. DELACA, and G. S. ZUMWALT, Genetic variability of the Antarctic brachiopod *Liothyrella notorcadensis* and its bearing on mass extinction hypotheses	1	1
	BAMBACH, R. K., see RICHARDS, R. P. (84)		
	BARBERENA, M. C., see BONAPARTE, J. F. (12)		
4.	BARRON, J. A., Marine diatom biostratigraphy of the Upper Miocene–Lower Pliocene strata of southern California	4	619
5.	BARTHEL, K. W., *Isterites* gen. nov. (Ammonitina) (paleontological note)	2	426
6.	BEHNKEN, F. H., Leonardian and Guadalupian (Permian) conodont biostratigraphy in western and southwestern United States	2	284
	BERMAN, D. S., see MCINTOSH, J. S. (69)		
7.	BJORK, P. R., Observations on *Proscalops tertius* (Mammalia: Insectivora) of the upper Oligocene of South Dakota	5	808
8.	BLAKE, D. B., A new west American Miocene species of the modern Australian ophiuroid *Ophiocrossota*	3	501
9.	BLECHSCHMIDT, G., and T. R. WORSLEY, The application of optical scanning (machine recognition of characters) to computerized collection of paleontologic data	6	1121
10.	BOLD, W. A. VAN DEN, Distribution of the *Radimella confragosa* group (Ostracoda, Hemicytherinae) in the late Neogene of the Caribbean	4	692
11.	BOLT, J. R., and R. DEMAR, An explanatory model of the evolution of multiple rows of teeth in *Captorhinus aguti*	5	815
12.	BONAPARTE, J. F., and M. C. BARBERENA, A possible mammalian ancestor from the middle Triassic of Brazil (Therapsida–Cynodontia)	5	931
13.	BOUCOT, A. J., Reclassification of *Australostrophia mesembria* (Brachiopoda, Devonian)	4	633
14.	BOUCOT, A. J., Standing diversity of fossil groups in successive intervals of geologic time viewed in the light of changing levels of provincialism	6	1105
	BOUCOT, A. J., see ROHR, D. M. (89)		
15.	BRETSKY, P. W., Organisms and Continents Through Time, edited by N. H. Hughes (review)	4	768
16.	BROWN, J. T., Upper Jurassic and Late Cretaceous ginkgophytes from Montana	4	724
17.	CARAMANICA, F. P., Stabilization of the spelling of the generic name *Paleofavosites* Twenhofel (paleontological note)	6	1126
18.	CAROZZI, A. V., Introductory Petrography of Fossils by Alan S. Horowitz and Paul E. Potter (review)	4	768
19.	CHAMBERLAIN, C. K., Trace fossils in DSDP cores of the Pacific	6	1074
20.	CHANDRASEKHARAM, A., A simplified rapid transfer technique as applied to compression fossils	1	161
21.	COOPER, B. J., Multielement conodonts from the Brassfield Limestone (Silurian) of southern Ohio	6	985
22.	COOPER, G. A., Brachiopods from West African waters with examples of collateral evolution	5	911
23.	CUFFEY, R. J., Cyclostomatous Bryozoa from the Upper Cretaceous and Danian in Scandanavia, by Krister Brood (review)	1	232
24.	CUFFEY, R. J., The Great Barrier Reef, by Isobel Bennett (review)	1	232
25.	CUFFEY, R. J., Vertebrate Paleozoology, by Everett C. Olson (review)	2	432
26.	CUFFEY, R. J., Vertebrate History: Problems in Evolution, by Barbara J. Stahl (review)	2	432
27.	CUFFEY, R. J., Recent Books Relevant to Paleontologists (review)	3	571
28.	DAVIS, W. E., JR., Significance of conodont distribution in the Tully Limestone (Devonian), New York State	6	1097
29.	DAWSON, M. R., Pleurolicine Rodents (Geomyoidea) of the John Day Formation, Oregon, and their Relationships to Taxa from the Early and Middle Miocene, South Dakota, by John M. Rensberger (review)	2	432

DELACA, T. E., see AYALA, F. J. (3)
DEMAR, see BOLT, J. R. (11)
30. EASTON, W. H., On *Zaphrentoides* 4 674
31. ELDREDGE, N., NATO Advanced Study Institute on the Evolution and Morphology of the Trilobita, Trilobitoidea, and Merostomata. Olso, Norway, July 1–8, 1973 (paleontological note) 1 227
32. ERDTMANN, B. D., and R. L. ADAMS, *Callograptus indianensis* n. sp.; the latest North American graptolite from the Mississippian (late Osagean) of Indiana .. 2 340
33. ERDTMANN, B. D., Late Ordovician Graptolites of Bohemia, by B. Boucek (review) 2 433
ERDTMANN, B. D., see YODER, R. L. (115)
34. ETTENSOHN, F. R., The autecology of *Agassizocrinus lobatus* 6 1044
35. FORSTEN, A., The fossil horses from the Texas gulf coastal plain 2 395
36. FRANKEL, L., Subsurface feeding in Foraminifera (paleontological note) 3 563
FURNISH, W. M., see SPINOSA, C. (98)
37. GHOSE, B. K., The variation of metric characters of *Pellatispira* (foraminifer) with a discussion on their relative taxonomic importance 2 400
GLENISTER, B. F., see SPINOSA, C. (98)
GRAY, J., see SMILEY, C. J. (97)
GUTSCHICK, R. C., see RODRIGUEZ, J. (88)
38. HANDFIELD, R. C., and F. K. MCKINNEY, Form and function in an atypical archaeocyathid 5 799
39. HARPER, C. W., JR., Standing diversity of fossil groups in successive intervals of geologic time: a new measure 4 752
40. HAUGH, B. H., Digestive and coelomic systems of Mississippian camerate crinoids 3 472
41. HAZEL, J. E., Patterns of marine ostracode diversity in the Cape Hatteras, North Carolina, area 4 731
42. HECKEL, P. H., Solenoporid red algae (*Parachaetetes*) from Upper Pennsylvanian rocks in Kansas 4 662
43. HINDS, R. W., Growth mode and homeomorphism in cyclostome bryozoa 5 875
44. HOOVER, P. R., Permian Lyttoniidae (Brachiopoda) from South America 1 151
HUGGINS, L. M., see SMILEY, C. J. (97)
45. HURST, J. M., *Resserella sabrinae* Bassett, in the Wenlock of Wales and the Welsh Borderland 2 316
46. JENNINGS, J. R., Lower Pennsylvanian plants of Illinois II: Structurally preserved *Alloiopteris* from the Drury Shale 1 52
47. JOHNSON, J. G., Allopatric speciation in fossil brachiopods 4 646
48. JOHNSON, J. G., Late Early Devonian brachiopods from Disappointment Bay Formation, Lowther Island, Arctic Canada 6 947
49. JOHNSON, J. G., Asian stringocephaloid brachiopod genera *Omolonia* and *Paracrothyris* in the Middle Devonian of western North America 6 979
50. KAESLER, R. L., Introduction to Biostatistics, by Robert R. Sokal and F. James Rohlf (review) 2 430
51. KAPP, U. S., and C. W. STEARN, Stromatoporoids of the Chazy Group (Middle Ordovician), Lake Champlain, Vermont and New York 1 163
52. KAUFFMAN, E. G., and B. RUNNEGAR, *Atomodesma* (Bivalvia), and Permian species of the United States 1 23
53. KIRCHGASSER, W. T., Revision of *Probeloceras* Clarke, 1898 and related ammonoids from the Upper Devonian of western New York 1 59
54. KOLATA, D. R., Middle Ordovician Echinoderms from northern Illinois and southern Wisconsin (Memoir 7) ..... 3(II)
55. KONTROVITZ, M., A study of the differential transportation of ostracodes 5 937
56. KURTEN, B., Grundzüge der Verbreitungsgeschichte der Säugetiereeine historisch Tiergeographie, by Erich Thenius (review) 2 431
57. KURTZ, V. E., Franconian (Upper Cambrian) trilobite fauna from the Elvins Group of southeast Missouri 6 1009
58. LANE, N. G., The anal sac of *Aesiocrinus*, a Pennsylvanian inadunate crinoid .. 4 638
59. LESPERANCE, P. J., Stratigraphy and paleontology of the Synphoriidae (Lower and Middle Devonian dalmanitacean trilobites) 1 91
60. LEWIS, S. E., A new species of fossil bombyliid (Diptera: Bombyliidae) from the Ruby River Basin (Oligocene) of southwestern Montana (paleontological note) 2 422
61. LILLEGRAVEN, J. A., and R. W. WILSON, Analysis of *Simimys simplex*, an Eocene rodent (?Zapodidae) 5 857
62. LOGAN, A., J. P. A. NOBLE, and G. R. WEBB, An unusual attachment of a recent brachiopod, Bay of Fundy, Canada (paleontological note) 3 557
63. LUNDBERG, J. G., A teleost fish from the Cretaceous or Lower Tertiary of western Tennessee 1 224
64. MACURDA, D. B., JR., The *Pentremites* (Blastoidea) of the Burlington Limestone (Mississippian) 2 346
65. MACURDA, D. B., JR., and P. R. RACHEBOEUF, Devonian and Carboniferous spiraculate blastoids from Brittany (France) 5 845

66. MARINCOVICH, L., JR., Morphology and mode of life of the Late Cretaceous rudist, *Coralliochama orcutti* White (Mollusca: Bivalvia) 1 212
67. MARSH, R. C., and L. F. MARSH, New technique for coating paleontological specimens prior to photography (paleontological note) 3 565
MARSH, L. F., see MARSH, R. C. (67)
MASON, D., see UYENO, T. T. (110)
68. MAY, F., *Dichastopollenites reticulatus*, gen. et sp. nov.—Potential Cenomanian guide fossil from southern Utah and northeastern Arizona 3 528
69. MCINTOSH, J. S., and D. S. BERMAN, Description of the palate and lower jaw of the sauropod dinosaur *Diplodocus* (Reptilia: Saurischia) with remarks on the nature of the skull of *Apatosaurus* 1 187
MCKINNEY, F. K., see NITECKI, M. H. (73)
MCKINNEY, F. K., see HANDFIELD, R. C. (38)
70. MEAD, J. J., A fossil beaked whale (Cetacea: Ziphiidae) from the Miocene of Kenya 4 745
71. MILLER, C. N., JR., and C. R. ROBISON, Two new species of structurally preserved pinaceous cones from the Late Cretaceous of Martha's Vineyard Island, Massachusetts 1 139
MILLER, C. N., JR., see ROBISON, C. R. (87)
72. MILLER, M. F., Probable inorganic *Zoophycos*-like structure from a lower Paleozoic quartzarenite (paleontological note) 6 1127
73. NITECKI, M. H., and F. K. MCKINNEY, *Cucumulites* Gurley 1884: A bryozoan, not a sponge (paleontological note) 3 561
NITECKI, M. H., see RIGBY, J. K. (86)
NITECKI, M. H., see SCHRAM, F. R. (98)
NOBLE, J. P. A., see LOGAN, A. (62)
74. NODINE-ZELLER, D. E., New technique for recovery and orientation of small individual foraminifers without disturbing thin section (paleontological note) .. 2 424
75. OLIVER, W. A., JR., A gastropod enclosed in a skeleton of a Devonian rugose coral 1 153
76. OLIVER, W. A., JR., Age of corals from northern California (paleontological note) 2 424
77. ORMISTON, A. R., *Humcia*, new Middle Devonian trilobite from western Canada 3 495
78. PECK, R. E., and W. T. WATKINS, New name for the comatulid *Semiometra minuta* Peck and Watkins (paleontological note) 2 426
79. PETERSEN, M. S., Upper Devonian (Fammenian) Ammonoids from the Canning Basin, Western Australia (Memoir 8) ..... 5(II)
80. PITRAT, C. W., *Orthospirifer* new genus of Devonian spinocyrtiid brachiopods .. 2 387
POTTER, A. W., see ROHR, D. M. (89)
81. QUILTY, P. J., and A. J. WILLIAMS, The use of dental impression material for molding macrofossils (paleontological note) 4 767
RACHEBOEUF, P. R., see MACURDA, D. B., JR. (65)
82. REISZ, R., Pennsylvanian pelycosaurs from Linton, Ohio and Nýřany, Czechoslovakia 3 522
83. RENSBERGER, J. M., Function in the cheek tooth evolution of some hypsodont geomyoid rodents 1 10
84. RICHARDS, R. P., and R. K. BAMBACH, Population dynamics of some Paleozoic brachiopods and their paleoecological significance 5 775
85. RIGBY, J. K., and M. H. NITECKI, An unusually well preserved heteractinid sponge from the Pennsylvanian of Illinois and a possible classification and evolutionary scheme for the Heteractinida 2 329
86. RIGBY, J. K., Some unusual hexactinellid sponge spicules from the Cambrian Wilberns Formation of Texas 2 412
87. ROBISON, C. R., and C. N. MILLER, JR., Glycol methacrylate as an embedding medium for lignitic plant fossils (Paleontological note) 3 559
ROBISON, C. R., see MILLER, C. N., JR. (71)
88. RODRIGUEZ, J., and R. C. GUTSCHICK, Epibiontic relationships on a Late Devonian algal bank 6 1112
89. ROHR, D. M., A. J. BOUCOT, and A. W. POTTER, Age of fossils from lower Paleozoic rocks, eastern Klamath Mountains, California (paleontological note) .. 2 427
90. ROWETT, C. L., Pacific Geology, Edited by M. Minato *et al.* (review) 1 230
RUNNEGAR, B., see KAUFFMAN, E. G. (52)
91. SANDBERG, P. A., Bryozoan diagenesis: Bearing on the nature of the original skeleton of rugose corals 4 587
92. SCHRAM, R. R., and M. H. NITECKI, Hydra from the Illinois Pennsylvanian ... 3 549
93. SCHRAM, F. R., A Pennsylvanian lepadomorph barnacle from the Mazon Creek Area, Illinois 5 928
94. SEMKEN, H. A., The Age of Mammals, by Björn Kurtén (review) 1 230
95. SHEEHAN, P. M., Upper Ordovician and Silurian brachiopods from the Solis Limestone, Chihuahua, Mexico 1 200

96. SHEEHAN, P. M., Lower Devonian brachiopods from the Solis Limestone, Chihuahua, Mexico 3 445
97. SMILEY, C. J., J. GRAY, and L. M. HUGGINS, Preservation of Miocene fossils in unoxidized lake deposits, Clarkia, Idaho; with a section on fossil Insecta by W. F. Barr and J. M. Gillespie 5 833
98. SPINOSA, C., W. M. FURNISH, and B. F. GLENISTER, The Xenodiscidae, Permian ceratitoid ammonoids 2 239
99. SPRINKLE, J., The "arms" of *Caryocrinites*, a rhombiferan cystoid convergent on crinoids 6 1063
100. STANLEY, S. M., Morphological adaptations and population structures of the Danish Chalk brachiopods (Maastrichtian, Upper Cretaceous), by F. Surlyk (review) 1 233
STEARN, C. W., see KAPP, U. S. (51)
101. STEELE-PETROVIC, H. M., An explanation for the tolerance of brachiopods and relative intolerance of filter-feeding bivalves for soft muddy bottoms 3 552
102. STEIN, R. S., A reptilian adaptation to flight: Dynamic analysis of *Pteranodon ingens* 3 534
103. STENZEL, H. B., Publication date of Volume N3 (Oysters) of Treatise on Invertebrate Paleontology (paleontological note) 2 427
104. STEVENS, C. H., New Permian Waagenophyllidae (rugose corals) from North Africa 4 706
105. STINCHCOMB, B. L., Paleoecology of new species of Late Cambrian *Hypseloconus* (Monoplacophora) from Missouri 2 416
106. STRIMPLE, H. L., A Morrowan crinoid fauna from the Hueco Mountains of Texas 4 702
107. TAYLOR, M. E., Abyssal Environment and Ecology of the World Oceans by Robert J. Menzirs, Robert Y. George, and Gilbert T. Rowe (review) 3 569
108. TEICHERT, C., Publication dates of Treatise on Invertebrate Paleontology (taxonomic note) 3 567
109. TEICHERT, C., Neue Paläontologische Ergebnisse Aus Dem Oberpaläzoikum Des Bükkgebirges by Maria Sidó, Béla Zálanyi and Zoltán Schréter (review) 3 568
110. UYENO, T. T., and D. MASON, New Lower and Middle Devonian conodonts from northern Canada 4 710
111. VALENTINE, J. W., Method and style in Paleontology 3 439
VALENTINE, J. W., see AYALA, F. J. (3)
WATKINS, W. T., see PECK, R. E. (78)
112. WEBB, S. D., Early Tertiary Vertebrate Faunas, Vieja Group and Buck Hill Group, Trans-Pecos Texas: Protoceratidae, Camelidae, Hypertragulidae by John A. Wilson (review) 3 568
WEBB, G. R., see LOGAN, A. (62)
113. WESTERMANN, G. E. G., *Alfeldites* Nom. Nov. for *Germanites* Westermann, 1954 Non Schindewolf, 1929, Jurassic Ammonitina (taxonomic note) 1 229
WILLIAMS, A. J., see QUILTY, P. J. (81)
WILSON, R. W., see LILLEGRAVEN, J. A. (61)
WORSLEY, T. R., see BLECHSCHMIDT, G. (9)
114. YANCEY, T. E., Permian marine biotic provinces in North America 4 758
115. YODER, R. L., and ERDTMANN, B. D., *Tentaculites attenuatus* Hall and *T. bellulus* Hall: a redescription and interpretation of these species as dimorphs 2 374
ZUMWALT, G. S., see AYALA, F. J. (3)

SUBJECT INDEX

Africa: Coelenterata, Permian (104)
Alaska: Arcaeocyathid, form and function (38)
Alfeldites: new name for *Germanites* Westermann, 1954, *Ammonitina*, Jurassic (113)
Algae: solenoporid, Pennsylvanian, Kansas (42)
Algal bank: Devonian, epibiontic relationships (88)
Alloiopteris: Lower Pennsylvanian, Illinois, structural preservation (46)
Ammonitina: new name for *Germanites* Westermann, 1954, Jurassic (113)
Ammonoidea: Devonian, Australia (79); Mesozoic, Germany (5); Permian, Mexico (98); Upper Devonian, New York, revision of *Probeloceras* (53)
Anal sac: inadunate crinoid, Pennsylvanian, North America (58)
Anchignathodus discretus: new species, conodont (6)
Ancillotoechia rex: new species, Brachiopoda (48)
Angiosperm: palynomorph, Upper Cretaceous, southwestern United States (68)
Anarctic: brachiopod, mass extinction hypotheses, genetic variability (3)
Anulocrinus forrestonensis: new species, Echinodermata (54)
Apatosaurus: nature of skull, Jurassic, North America (69)
Apographiocrinus raderi: new species, Crinoidea (106)
Archaeocyathid: form and function (38)
Arctic Canada: Brachiopoda, Devonian (48)
Arizona: northeastern, palynomorph, Upper Cretaceous (68)

Asian: Brachiopoda, Devonian, western North America (49)
Atomodesma (*Aphanaia*) *erectum*: new species, Bivalvia (52)
Australia: Ammonoidea, Devonian (79)
Australostrophia mesembria: reclassification of, Brachiopoda, Lower Devonian (13)
Autecology: *Agassizocrinus lobatus* (34)
Barnacle: Pennsylvanian, Illinois (93)
Biostratigraphy: conodont, Permian, western United States (6); marine diatoms, upper Miocene–lower Pliocene, California (4)
Bivalvia: Paleozoic, intolerance of, soft muddy bottoms (101); Permian, United States (52)
Blastoidea: Devonian and Carboniferous, France (65); ontogeny and phylogeny, Mississippian, North America (64)
Bothriocidaris solemi: New species, Echinodermata (54)
Brachiopoda: Antarctic, genetic variability, mass extinction hypothesis (3); attachment, Recent, Canada (62); Devonian, allopatric speciation (47); Devonian, Arctic Canada (48); Devonian (Lower), Mexico (96); Devonian (Middle to Upper), eastern North America (80); Devonian, western North America (49); evolution, Recent, West Africa (22); lyttoniid, Permian, South America (44); Paleozoic, population dynamics (84); Paleozoic, tolerance of, soft muddy bottoms (101); phenotypic lability, Ordovician, Indiana–Kentucky–Ohio (1); reclassification of *Australostrophia mesembria*, Lower Devonian (13); reevaluation of correlation, Ordovician and Silurian, Mexico (95); Silurian, Wales (45)
Brazil: Reptilia, possible mammalian ancestor, Triassic (12)
Bryozoa: Cenozoic, growth mode, homeomorphism (43); *Cucumulites* Gurley 1884, not a sponge (73); diagenesis, Pleistocene, bearing on nature of original coral skeleton (91)
Burrows: Upper Precambrian–Lower Cambrian, California (2)
Bynumina lirae: new species, Trilobita (57)
Caenodontus serrulatus: new genus, new species, conodont (6)
California: corals, Ordovician–Silurian (75); diatom biostratigraphy, upper Miocene–lower Pliocene (4); Lower Paleozoic fossils (89); ophiuroid, middle Miocene (8); rodent, Eocene (61); trace fossils, Upper Precambrian–Lower Cambrian (2)
Callograptus indianensis: new species, graptolite (32)
Calocephalites minimus: new genus and new species, Trilobita (57)
Calocephalites vulgaris: new species, Trilobita (57)
Cambrian: Arcaeocyathid, form and function (38); Hexactinellid sponge spicules, Texas (86); Monoplacophora, Missouri, paleoecology (105); trace fossils (burrows), California (2); Trilobita, Missouri (57)
Canada: Brachiopoda, unusual attachment, Recent (62); gastropod enclosed in rugose coral, Devonian (75); north, conodont, Middle Devonian (110); western, Trilobita, Middle Devonian (77)
Captorhinus aguti: cotylosaur, Permian, evolution of teeth (11)
Carabocrinus oogyi: new species, Echinodermata (54)
Carboniferous: Blastoidea, France (65)
Caribbean: Ostracoda, late Neogene (10)
Carinagypa aseptata: new species, Brachiopoda (49)
Caryocrinites: cystoid "arms"
Cassidirostrum radiatum: new species, Brachiopoda (49)
Cenozoic: Bryozoa, growth mode, homeomorphism (43)
Cetacea: beaked whale, Miocene, Kenya (70)
Cheek tooth evolution: hyposodont geomyoid rodents (83)
Cheiloceras (*Staffites*) *schmidti*: new species, ammonoid (79)
Coelenterata: Permian, North Africa (104); re-diagnoses of *Zaphrentoides*, Paleozoic, North America (30)
Compression fossil: rapid transfer technique (20)
Computerized data: optical scanning (9)
Conodont: biostratigraphy and paleontology, Permian, western United States (6); Devonian, New York (28); Devonian, north Canada (110); Silurian, Ohio (21)
Coralliochama orcutti White: rudist bivalve, morphology and mode of life, late Cretaceous, Mexico (66)
Corals: Ordovician–Silurian, California (76); rugose, nature of original skeleton (91)
Coronocystis durandensis: new species, Echinodermata (54)
Coronura lessepensis: new species, Trilobita (59)
Cotylosaur: Permian, evolution of teeth (11)
Cremacrinus guttenbergensis: new species, Echinodermata (54)
Cretaceous: ginkgophytes, Montana (16); palynomorph, southwestern United States (68); pinaceous cones, Massachusetts (71); pterosaur, analysis of flight dynamics (102); rudist bivalve, morphology and mode of life, Mexico (66); teleost fish, Tennessee (63)
Crinoidea: *Agassizocrinus lobatus*, autecology (34); anal sac, Pennsylvanian, North America (58); digestive and coelomic systems, Mississippian, North America (40); new name for *Semiometra minuta*, Lower Cretaceous (78); Pennsylvanian, Texas (106)
Crustacea: lepadomorph barnacle, Pennsylvanian, Illinois (93)
Cupulocrinus molanderi: new species, Echinodermata (54)
Cupulocrinus plattevillensis: new species, Echinodermata (54)

Cystoid: "arms," *Caryocrinites* (99)
Czechoslovakia: pelycosaurs, Pennsylvanian (82)
Decoriconus: new genus, conodont (21)
Dendrocrinus? springeri: new species, Echinodermata (54)
Devonian: ammonoids, Australia (79); ammonoid, New York (53); algal bank, epibiontic relationships (88); Blastoidea, France (65); Brachiopoda, allopatric speciation (47); Brachiopoda, Arctic Canada (48); Brachiopoda, eastern North America (80); Brachiopoda, Mexico (96); Brachiopoda, reclassification of *Australostrophia mesembria* (13); Brachiopoda, western North America (49); conodonts, New York (28); conodonts, north Canada (110); gastropod enclosed in rugose coral, Canada (75); tentaculitid dimorphs, New York (115); Trilobita, Quebec (59); Trilobita, western Canada (77)
Diagenesis: Bryozoa, Pleistocene, bearing on nature of original coral skeletons (91)
Diatom: biostratigraphy, upper Miocene–lower Pliocene, California (4)
Dichastopollenites reticulatus: new genus and species, palynomorph, upper Cretaceous, southwestern United States (68)
Dimeroceras petterae: new species, ammonoid (79)
Dimorphs: Tentaculitida, Middle Devonian, New York (115)
Diplodocus: sauropod dinosaur, palate and lower jaw, Jurassic, North America (69)
Diptera: Bombyliidae, Oligocene, Montana (60)
Distribution: conodonts, Devonian, New York (28); Ostracoda, late Neogene, Caribbean (10)
Diversity: fossil groups (14); new measures of fossil groups (39); recent ostracod patterns, North Carolina (41)
Echinodermata: Ordovician, Illinois and Wisconsin (54)
Edithiella missouriensis: new genus and new species, Trilobita (57)
Ellisonia excavata: new species, conodont (6)
Elvins Group: Trilobita, Cambrian (57)
Elyaspis missouriensis: new genus and new species, Trilobita (57)
Elythyna kingi: new species, Brachiopoda (49)
Elythyna transversa intermedia: new subspecies, Brachiopoda (49)
Elythyna transversa prackingi: new subspecies, Brachiopoda (49)
Eocene: rodent, California (61)
Epibiontic relationships: Devonian, algal bank (88)
Erkosonca assula: new species, Bryozoa (43)
Erkosonca parkeri: new species, Bryozoa (43)
Evolution: Brachiopoda, Devonian (47); Brachiopoda, Recent, West Africa (21); cheek tooth, rodents (83); cotylosaur, teeth (11); Heteractinida, Paleozoic, United States (85); NATO institute on the evolution and morphology of Trilobita, Trilobitoidea, and Merostomata, Norway (31)
Feeding: subsurface, Foraminifera, Recent (36)
Filisparsa (?) smithi: new species, Bryozoa (43)
Filter-feeders: Bivalvia, Paleozoic, intolerance of, soft muddy bottoms (101)
Flight dynamics: analysis, pterosaur, Cretaceous (102)
Foraminifera: metric characteristics and taxonomy (37); subsurface feeding, Recent (36); technique for recovery and orientation (74)
Forillonaria russelli: new species, Trilobita (59)
Form and function: Archaeocyathid, Cambrian, Alaska, Yukon (38)
Fossil groups: new measure of diversity (39); diversity through time (14)
Fossils: age of in Paleozoic rocks, California (89)
Gastropoda: enclosed in rugose coral, Devonian, Canada (76)
Genetic variability: Antarctic brachiopod, mass extinction hypothesis (3)
Geranocephalinae: new subfamily, Brachiopoda (48)
Germanites: *Alfeldites*, new name for *Germanites Westermann*, 1954, *Ammonitina*, Jurrasic (113)
Germany: Ammonoidea, Mesozic (5)
Ginkgoites cascadensis: new species, ginkgophytes (16)
Ginkgophytes: Montana, upper Jurassic–lower Cretaceous (16)
Glossinulina khodalevichi: new genus and new secies, Brachiopoda (49)
Glyptocrinus charltoni: new species, Echinodermata (54)
Glyptocrinus pustulosis: new species, Echinodermata (54)
Gongyloblastus armoricanus: new genus and new species, Blastoidea (65)
Graptolite: Mississippian, North America (32)
Homeomorphism: cyclostome bryozoa, Cenozoic (43)
Horses: Miocene and early Pliocene, Texas gulf coastal plain (35)
Humcia merga: new genus, new species, Trilobita (77)
Humcia retusa: new species, Trilobita (77)
Hydrozoa: Middle Pennsylvanian, Illinois (92)
Hypseloconus bonneterrense: new species, Monoplacophora (105)
Hypseloconus washingtonense: new species, Monoplacophora (105)
Idaho: preservation of Miocene fossils (97)
Illinois: Echinodermata, Ordovician (54); Heteractinida, Paleozoic (85); Hydrozoa, Middle Pennsylvanian (92); lepadomorph barnacle, Pennsylvanian (93); plants, Lower Pennsylvanian (46)

Indiana: Brachiopoda, phenotypic lability, Ordovician (1)
Insectivora: Oligocene, South Dakota (7)
Isotomocrinus minutus: new species, Echinodermata (54)
Isterites: new genus, Ammonoidea (5)
Jurassic: *Ammonitina*, new name for *Germanites* Westermann, 1954 (113); ginkgophytes, Montana (16); sauropod dinosaur, North America (69)
Kansas: solenoporid red algae, Pennsylvanian (42)
Kentucky: Brachiopoda, phenotypic lability, Ordovician (1)
Kenya: Cetacea, beaked whale, Miocene (70)
Lavechia prima: new species, stromatoporoid (51)
Labechia valcourensis: new species, stromatoporoid (51)
Liothyrella notorcadensis: Antarctic brachiopod, genetic variability, mass extinction (3)
Lynphoria sopita: new species, Trilobita (59)
Macandrevia africana Cooper: new species, Brachiopoda (22)
Macandrevia bayeri: new species, Brachiopoda (22)
Mammalia: Insectivora, Oligocene, South Dakota (7); possible ancestor to, Triassic, Brazil (12)
Mass extinction hypothesis: genetic variability, Brachiopoda (3)
Massachusetts: pinaceous cones, Late Cretaceous (71)
Mazohydra megabertha: new species, Hydrozoa (92)
Merocrinus britonensis: new species, Echinodermata (54)
Merostomata: NATO institute on evolution and morphology, Norway (31)
Mesozoic: Ammonoidea, Germany (5)
Mexico: ammonoids (Xenodiscidae), Permian (98); Brachiopoda, Lower Devonian (96); Brachiopoda, Ordovician and Silurian, reevaluation of correlation (94); Bryozoa, Cenozoic (43); rudist bivalve, morphology and mode of life, Late Cretaceous (65)
Microfossils: use of dental impression material for molding (81)
Miocene: Cetacea, beaked whale, Kenya (70); diatom biostratigraphy, California (4); horses, Texas gulf coastal plain (35); ophiuroid, California (8); preservation of fossils, Idaho (97)
Mississippian: Blastoidea, ontogeny and phylogeny, North America (64); crinoid digestive and coelomic systems, North America (40); graptolite, North America (32)
Missouri: Monoplacophora, Cambrian, paleoecology (105); Trilobita, Cambrian (57)
Mode of life: rudist bivalve, Late Cretaceous, Mexico (66)
Monoplacophora: Cambrian, Missouri, paleoecology (105)
Montana: Bombyliidae, Diptera, Oligocene (60); ginkgophytes, Upper Jurassic–Lower Creataceous (16)
Mooreocrinus magdalenensis: new species, Crinoidea (106)
Morphology: NATO institute on evolution and morphology of Trilobita, Trilobitoidea and Merostomata, Norway (31); rudist bivalve, Late Cretaceous, Mexico (66)
Neobothriocidaris templetoni: new species, Echinodermata (54)
Neogene: Ostracoda, Caribbean (10)
Neogondolella serrata postserrata: new subspecies, conodont (6)
Neogondolella serrata serrata: new subspecies, conodont (6)
Neostreptognathodus adjunctus: new species, conodont (6)
Neostreptognathodus clinei: new species, conodont (6)
Neostreptognathodus pequopensis: new species, conodont (6)
Neostreptognathodus prayi: new species, conodont (6)
Neostreptognathodus sulcoplicatus: species emend., conodont (6)
New York: ammonoid, Upper Devonian (53); conodonts, Devonian (28); tentaculitid dimorphs, Middle Devonian (115)
Nomenclature: Heteractinid, Paleozoic, United States (85)
North America: Blastoidea, ontogeny and phylogeny, Mississippian (64); Brachiopoda, Devonian (49); Coelenterata, Paleozoic (30); crinoids, Mississippian (40); eastern, Brachiopoda, Middle to Upper Devonian (80); graptolite, Mississippian (32); inadunate crinoid, anal sac, Pennsylvanian (58); Permian, marine biotic provinces (114); sauropod dinosaur, Jurassic (69); stromatoporoid, Ordovician (52)
North Carolina: Ostracoda, patterns of diversity (41)
Norway: institute on evolution and morphology of Trilobita, Trilobitoidea and Merostomata, Norway (31)
Ohio: Brachiopoda, phenotypic lability, Ordovician (1); conodonts, Silurian (21); pelycosarus, Pennsylvanian (82)
Oligocene: Bombyliidae, Diptera, Montana (60); Mammalia, Insectivora, South Dakota (7)
Ontogeny: Blastoidea, Mississippian, North America (64)
Ophiocrossota oweni: new species, ophiuroid (8)
Ophiuroid: middle Miocene, California (8)
Optical scanning: paleontological data (9)
Ordovician: Brachiopoda, Indiana–Kentucky–Ohio (1); Brachiopoda, reevaluation of correlation, Mexico (95); Echinodermata, Illinois and Wisconsin (54); stromatoporoid, North America (51)
Orthospirifer missouriensis: new genus and new species, Brachiopoda (80)

Ostracoda: differential transportation (55); patterns of diversity, North Carolina (41); *Radimella confragosa* group, late Neogene, Caribbean (10)
Ozarkodina protexcavata: new species, conodont (21)
Pachystylostroma champlainense: new species, stromatoporoid (51)
Pachystylostroma goodsellense: new species, stromatoporoid (51)
Pachystylostroma pollicellum: new species, stromatoporoid (51)
Pachystylostroma vallum: new species, stromatoporoid (51)
Pacific: trace fossils, DSDP cores (19)
Paleoecology: Brachiopoda, Canada (62); Brachiopoda, population dynamics (84); Monoplacophora, Cambrian, Missouri (105)
Paleofavosites: spelling (17)
Paleophysiology: crinoid digestive and coelomic systems, Mississippian, North America (40)
Paleontology: method and style (111)
Paleozoic: Brachiopoda, population dynamics (84); Coelenterata, North America (30); fossils, California (89); Heteractinida, evolution, nomenclature (85); *Zoophycos*-like structure (72)
Palynology: palynomorph, Upper Cretaceous, southwestern United States (68)
Palynomorph: Upper Cretaceous, southwestern United States (68)
Pandorinellina expansa: new species, conodont (110)
Parachaetetes wrayi: new species, solenoporid red algae (42)
Pavastehphyllum stehlii: new species, Coelenterata (104)
Pavastehphyllum tunesium: new species, Coelenterata (104)
Pelekysgnathus pedderi: new species, conodont (110)
Pelicephalus lochmani: new genus and new species, Trilobita (57)
Pellatispira: Foraminifera, metric characteristics and taxonomy (37)
Pelycosaurs: Pennsylvanian, Ohio and Czechoslovakia (82)
Pennsylvanian: Crinoidea, Texas (106); Heteractinida, Illinois (85); Hydrozoa, Illinois (92); inadunate crinoid, anal sac, North America (58); lepadomorph barnacle, Illinois (93); pelycosaurs, Ohio and Czechoslovakia (8); plants, Illinois (46); solenoporid red algae, Kansas (42)
Pentremites: Blastoidea, ontogeny, phylogeny, Mississippian, North America (64)
Permian: ammonoids (Xenodiscidae), Mexico (98); Bivalvia, United States (52); Brachiopoda, South America (44); Coelenterata, North Africa (104); conodont, biostratigraphy, western United States (6); cotylosaur, evolution of teeth (11); marine biotic provinces, North America (114)
Phenotypic lability: Brachiopoda, Ordovician, Indiana–Kentucky–Ohio (1)
Phthiria fossa: new species, Bombyliidae, Diptera (60)
Photography: new technique for coating specimens (67)
Phylogeny: Blastoidea, Mississippian, North America (64)
Pinaceous cones: Late Cretaceous, Massachusetts (71)
Pityostrobus kayei: new species, pinaceous cones, Late Cretaceous, Massachusetts (71)
Planolites reticulatus: new species, trace fossil (2)
Plants: embedding medium for lignitic fossils (87); structural preservation, Lower Pennsylvanian, Illinois (46)
Pleistocene: bryozoan diagenesis, bearing on nature of original coral skeletons (91)
Pliocene: diatom biostratigraphy, California (4); horses, Texas gulf coastal plain (35)
Population dynamics: Paleozoic, Brachiopoda (84)
Porifera: *Cucumulites* Gurley 1884, not a sponge (73)
Posttornoceras glenisteri: new species, ammonoid (79)
Praelepas damrowi: new species, Crustacea (93)
Precambrian: Upper, trace fossils (burrows), California (2)
Preservation: fossils, Miocene, Idaho (97); plants, Lower Pennsylvanian, Illinois (46)
Probeloceras strix: new species, ammonoid (53)
Proscalops tertius: Mammalia, Insectivora, Oligocene, South Dakota (7)
Provinces: Permian, marine biotic, North America (114)
Pseudoaraucaria arnoldii: pinaceous cones, Late Cretaceous, Massachusetts (71)
Pseudosaratogia davisi: new species, Trilobita (57)
Pterosaur: analysis of flight dynamics, Cretaceous (102)
Pulchricapitus davisi: new genus and new species, Trilobita (57)
Punctatrypa siehli: new species, Brachiopoda (49)
Quebec: Dalmanitacean Trilobita, Devonian (59)
Raymondiceras inceptum: new species, ammonoid (79)
Recent: Brachiopoda, evolution, West Africa (22); Brachiopoda, unusual attachment, Canada (62); Ostracoda, patterns of diversity, North Carolina (41); Foraminifera, subsurface feeding (36)
Reptilia: cotylosaur, Permian, evolution of teeth (11); pterosaur, analysis of flight dynamics, Cretaceous (102); sauropod dinosaur, *Diplodocus, Apatosaurus,* Jurassic, North America (69); Triassic, possible mammalian ancestor, Brazil (12)
Resserella sabrinae burringtonensis: new subspecies, Brachiopoda (45)
Resserella sabrinae nunfieldensis: new subspecies, Brachiopoda (45)
Resserella sabrinae saxeddensis: new subspecies, Brachiopoda (45)

Reteocrinus rocktonensis: new species, Echinodermata (54)
Reteocrinus spinosus: new species, Echinodermata (54)
Rhapanocrinus buckleyi: new species, Echinodermata (54)
Rodents: hypsodont geomyoid, cheek tooth evolution, function (83); *Simimys simplex*, Eocene, California (61)
Rudist bivalve: morphology and mode of life, Late Cretaceous, Mexico (66)
Schoharia quebecensis: new species, Trilobita (59)
Sedimentary structure: *Zoophycos*-like, lower Paleozoic (72)
Semiometra klari: new name to replace *Semiometra minuta* Peck and Watkins, Crinoid (78)
Silurian: Brachiopoda, reevaluation of correlation, Mexico (95); Brachiopoda, Wales (45); conodonts, Ohio (21)
Skolithos bulbus: new species, trace fossil (2)
South America: Brachiopoda, Permian (44)
South Dakota: Mammalia, Insectivora, Oligocene (7)
Speciation: Brachiopoda, Devonian (47)
Spicules: Hexactinellids, Cambrian, Texas (86)
Spirinella ultima: new species, Brachiopoda (49)
Sponge: Heteractinida, Pennsylvanian, Illinois (85); spicules, Cambrian, Texas (86)
Sporadoceras (*Sporadoceras*) *teicherti*: new species, ammonoid (79)
Spurispirifer vijaicoides: new species, Brachiopoda (49)
Stromatoporoid: Ordovician, North America (51)
Synphoria pricei: new species, Trilobita (59)
Synphoriinae: morphology, phylogeny, Devonian, Quebec (59)
Synphoroides vetustus: new species, Trilobita (59)
Taxonomy: Foraminifera, metric characteristics (37)
Technique: embedding medium for lignitic plant fossils (87); for coating specimens prior to photography (67); optical scanning of computerized data (9); use of dental impression material for molding microfossils (81)
Teleost fish: Cretaceous or lower Tertiary, Tennessee (63)
Tennessee: teleost fish, Cretaceous or lower Tertiary (63)
Tentaculites attenuatus Hall: Tentaculitida, Middle Devonian, New York (115)
Tentaculites bellulus Hall: Tentaculitida, Middle Devonian, New York (115)
Tentaculitida: dimorphs, Middle Devonian, New York (115)
Tertiary: teleost fish, Tennessee (63)
Texas: Crinoidea, Lower Pennsylvanian (106); horses, gulf coastal plain, Miocene and early Pliocene (35); Hexactinellid sponge spicules, Cambrian (86)
Therioherpeton cargnini: new genus and new species, Reptilia (12)
Trace fossil: burrows, Upper Precambrian–Lower Cambrian, California (2); Pacific, DSDP cores (19)
Transfer technique: compression fossils (20)
Transportation: Ostracoda (55)
Traskocrinus mahlburgi: new genus and new species, Echinodermata (54)
Triassic: Reptilia, possible mammalian ancestor, Brazil (12)
Trilobita: Cambrian, Missouri (57); Devonian, western Canada (77); NATO institute on evolution and morphology, Norway (31); Synophoriinae, Devonian, Quebec (59)
Trilobitoidea: NATO institute on evolution and morphology, Norway (31)
Trypaulites eldredgei: new species, Trilobita (59)
United States: Bivalvia, Permian (52); western, conodonts, Permian (6)
Utah: palynomorph, Upper Cretaceous (68)
Wales: Brachiopoda, Silurian (45)
West Africa: Brachiopoda, collateral evolution, Recent (22)
Wisconsin: Echinodermata, Ordovician (54)
Xenocheilos orthos: new species, Trilobita (57)
Xenodiscus besairiei: new species, ammonoid (98)
Xenodiscus dieneri: new species, ammonoid (98)
Xenodiscus wanneri: new species, ammonoid (98)
Yukon: Arcaeocyathid, form and function (38)
Zangerlispongia richardsoni: new genus and new species, heterachinid sponge (85)
Zaphrentoides (*Zaphrentoides*) *neogriffithi*: new species, Coelenterata (30)
Zoophycos-like structure: lower Paleozoic (72)